7346904/2023/VIGILANCE-I-ICD01

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Sri K. Ravi Kumar, the then Assistant Executive Engineer, Narsipatnam Section of Narsipatnam Sub Division – Water Resources Department "Improvements to Makavaripalem low level channel Reach-II near Makavarapalem (V) in Makavaram (M) in Visakhapatnam Dist" (Work No.14) (Annexure - 327) taken up under Neeru-Chettu Programme – Departmental Proceedings under Rule 20 of the A.P. Civil Services (CC&A) Rules, 1991 - Article of Charges issued - Cancellation of the G.O. Rt. No. 850 of WR (Vig.II (V&E)) Dept dt. 05.05.2022 and G.O. Rt. No. 1881 of WR (Vig.II (V&E)) Dept dt. 14.09.2022 which were issued again inadvertently - orders-Issued.

==========

WATER RESOURCES (VIG.I/A1) DEPARTMENT

G.O.Rt.No.202 **Dated: 10.05.2023**

Read the following:

1. G.O. Rt. No. 850 of WR (Vig.II/A1 (V&E)) Dept dt. 05.05.2022 issued to Sri Ch.V.Ravi Kumar.
2. G.O. Rt. No. 850 of WR (Vig.II/A1 (V&E)) Dept dt. 05.05.2022 issued to Sri K. Ravi Kumar.
3. G.O. Rt. No. 1881 of WR (Vig.II (V&E)) Dept dt. 14.09.2022.
4. From the ENC (Admn.), WRD, Vijayawada, Lr. No. RC/ENC/K/AD (V1)/AEE-5/NC/VSKP/2023, dt. 14.02.2023.

@@@

ORDER:

In the G.O. 1st read above, Article of Charges were issued to Sri Ch.V. Ravi Kumar, the then Assistant Executive Engineer, Narsipatnam Section of Narsipatnam Sub Division, Water Resources Department for committing dereliction of duties amounting to misconduct in execution of the work i.e., Improvements to Makavaripalem low level channel Reach-II near Makavarapalem (V) in Makavaram (M) in Visakhapatnam Dist" (Work No.14) (Annexure - 327) taken up under Neeru-Chettu Programme.

2. In the G.O.s 2nd and 3rd read above, Article of Charges were also issued to Sri K. Ravi Kumar, the then Assistant Executive Engineer, Narsipatnam Section of Narsipatnam Sub Division, Water Resources Department for committing dereliction of duties amounting to misconduct in execution of the same work i.e., "Improvements to Makavaripalem low level channel Reach-II near Makavarapalem (V) in Makavaram (M) in Visakhapatnam Dist" (work No.14) (Annexure - 327) taken up under Neeru- Chettu Programme i.e., in the same work mentioned at Para-1 above again, inadvertently.

3. In letter 4th read above, the Engineer-in-Chief (Admin), WRD, Vijayawada while mentioning the reasons, has requested to cancel the orders issued vide G.O.Rt.No.850, dated 5.5.2022 and G.O. Rt. No. 1881 of WR (Vig.II (V&E)) Dept dt. 14.09.2022 to Sri K. Ravi Kumar, the then Assistant Executive Engineer, Narsipatnam Section of Narsipatnam Sub Division, Water Resources Department since orders were already issued on the same subject in G.O. Rt. No. 850 of WR (Vig.II/A1 (V&E)) Dept dt. 05.05.2022 to Sri Ch.V. Ravi Kumar, the then Assistant Executive Engineer, Narsipatnam Section of Narsipatnam Sub Division, Water Resources Department.

4. After careful examination of the matter with the available records, Government hereby cancel the G.O. Rt. No. 850 of WR (Vig.II (V&E)) Dept dt. 05.05.2022 and G.O. Rt. No. 1881 of WR (Vig.II (V&E)) Dept dt. 14.09.2022 issued to Sri K. Ravi Kumar, the then Assistant Executive Engineer, Narsipatnam Section of Narsipatnam Sub Division, Water Resources Department, which were issued again, inadvertently, as detailed at Para-2 above.

5. The Engineer-in-Chief (Admin), WRD, Vijayawada shall take further necessary action in the matter.

(BY ORDER IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri K. Ravi Kumar, the then Assistant Executive Engineer, Narsipatnam Section of Narsipatnam Sub Division through the Engineer-in-Chief (AW), Water Resources Department, Vijayawada.

Copy to:
The Engineer-in-Chief (AW), Water Resources Department, Vijayawada.

//FORWARDED::BY ORDER//

SECTION OFFICER

Scanned with OKEN Scanner